








RoHS

REV.	ECR	DESCRIPTION	DATE	REVISOR	CHECKED	APPROVED
X1	-	NEW RELEASE	11/11/20'	Menger	Menger	Oliver
X2	-	Plastic material changed from PA66 to PBT	01/06/21'	Menger	Menger	Thomas
X3	-	Add 24/12/8pin	05/21/21'	Menger	Will	Thomas



未注公差 (参照GB/T11486-2008-MT5-a级标准)

基准尺寸 (mm)	公差数值 (mm)	基准尺寸 (mm)	公差数值 (mm)
>0~3	±0.1	>24~30	±0.25
>3~6	±0.12	>30~40	±0.28
>6~10	±0.14	>40~50	±0.32
>10~14	±0.16	>50~65	±0.37
>14~18	±0.19	>65~80	±0.43
>18~24	±0.22	>80~100	±0.50





技术要求:

1. 产品材质: PBT, 白色;
2. 产品表面无缩水, 批锋, 油污, 缺胶, 杂色等不良现象;
3. 产品与配套端子 (T-WTB40-W1110-001) 装配顺畅, 保持力3.0kgf min
4. 产品 (装好端子) 与配套母端子座 (WTB40-B140Hxx-001) 插拔顺畅, 拔出力12.0kgf min(带锁)
5. 产品符合ROHS环保标准。

DRAWN	DATE	GENERAL	ANGLES	YXT 益鑫通精密电子有限公司 YXT Precision Electronics Co., Ltd.
Menger	05/21/21'	X. ±0.38	X' ±3.0°	
DESIGN	DATE	.X ±0.25	.X' ±2.0°	
Menger	05/21/21'	.XX ±0.13	.XX' ±1.0°	
CHECKED	DATE	.XXX ±0.05		TITLE
Will Gao	05/21/21'			Pitch 2.2mm Double Row WTB40 Connector Housing (带线卡/白色)
APPROVED	DATE	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED		SIZE A4
Thomas Gao	05/21/21'	UNIT: mm		P/N WTB40-W140HW1-001
CUSTOMER DRAWING	SHEET 1 OF 6	SCALE 1:1	REV. X3	DWG NO. C-WTB40-2W-01-0001






RoHS

REV.	ECR	DESCRIPTION	DATE	REVISOR	CHECKED	APPROVED
X1	-	NEW RELEASE	11/11/20'	Menger	Menger	Oliver
X2	-	Plastic material changed from PA66 to PBT	01/06/21'	Menger	Menger	Thomas
X3	-	Add 24/12/08 pin	05/21/21'	Menger	Will	Thomas



未注公差 (参照GB/T11486-2008-MT5-a级标准)

基准尺寸 (mm)	公差数值 (mm)	基准尺寸 (mm)	公差数值 (mm)
>0~3	±0.1	>24~30	±0.25
>3~6	±0.12	>30~40	±0.28
>6~10	±0.14	>40~50	±0.32
>10~14	±0.16	>50~65	±0.37
>14~18	±0.19	>65~80	±0.43
>18~24	±0.22	>80~100	±0.50





技术要求:

1. 产品材质: PBT,本色;
2. 产品表面无缩水, 批锋, 油污, 缺胶, 杂色等不良现象,
3. 产品与配套端子 (T-WTB40-W1110-001) 装配顺畅, 保持力3.0kgf min
4. 产品 (装好端子) 与配套母端子座 (WTB40-B132Hxx-001) 插拔顺畅, 拔出力12.0kgf min (带锁)
5. 产品符合ROHS环保标准。




DRAWN Menger 05/11/21'	DATE	<table border="1"> <tr> <th colspan="2">GENERAL</th> <th colspan="2">ANGLES</th> </tr> <tr> <td>X</td> <td>±0.38</td> <td>X'</td> <td>±3.0'</td> </tr> <tr> <td>.X</td> <td>±0.25</td> <td>.X'</td> <td>±2.0'</td> </tr> <tr> <td>.XX</td> <td>±0.13</td> <td>.XX'</td> <td>±1.0'</td> </tr> <tr> <td>.XXX</td> <td>±0.05</td> <td></td> <td></td> </tr> </table>	GENERAL		ANGLES		X	±0.38	X'	±3.0'	.X	±0.25	.X'	±2.0'	.XX	±0.13	.XX'	±1.0'	.XXX	±0.05			<p>益鑫通精密电子有限公司 YXT Precision Electronics Co., Ltd.</p>
GENERAL			ANGLES																				
X	±0.38		X'	±3.0'																			
.X	±0.25		.X'	±2.0'																			
.XX	±0.13	.XX'	±1.0'																				
.XXX	±0.05																						
DESIGN Menger 05/21/21'	DATE	TITLE Pitch 2.2mm Double Row WTB40 Connector Housing (带线卡/白色)																					
CHECKED Will Gao 05/21/21'	DATE	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED																					
APPROVED Thomas Gao 05/21/21'	DATE	UNIT: mm																					
CUSTOMER DRAWING	SHEET 2 OF 6	SCALE 1:1	REV. X3	SIZE A4	P/N WTB40-W132HW1-001																		
			DWG NO. C-WTB40-2W-01-0001																				

RoHS

REV.	ECR	DESCRIPTION	DATE	REVISOR	CHECKED	APPROVED
X1	-	NEW RELEASE	11/11/20'	Menger	Menger	Oliver
X2	-	Plastic material changed from PA66 to PBT	01/06/21'	Menger	Menger	Thomas
X3	-	Add 24/12/08 pin	05/21/21'	Menger	Will	Thomas



基准尺寸 (mm)	公差数值 (mm)	基准尺寸 (mm)	公差数值 (mm)
>0~3	±0.1	>24~30	±0.25
>3~6	±0.12	>30~40	±0.28
>6~10	±0.14	>40~50	±0.32
>10~14	±0.16	>50~65	±0.37
>14~18	±0.19	>65~80	±0.43
>18~24	±0.22	>80~100	±0.50





技术要求:

1. 产品材质: PBT,本色;
2. 产品表面无缩水, 批锋, 油污, 缺胶, 杂色等不良现象,
3. 产品与配套端子 (T-WTB40-W1110-001) 装配顺畅, 保持力3.0kgf min
4. 产品 (装好端子) 与配套母端子座 (WTB40-B124Hxx-001) 插拔顺畅, 拔出力12.0kgf min (带锁)
5. 产品符合ROHS环保标准。




DRAWN Menger	DATE 05/21/21'	<table border="1"> <tr> <th colspan="2">GENERAL</th> <th colspan="2">ANGLES</th> </tr> <tr> <td>X</td> <td>±0.38</td> <td>X°</td> <td>±3.0°</td> </tr> <tr> <td>.X</td> <td>±0.25</td> <td>.X°</td> <td>±2.0°</td> </tr> <tr> <td>.XX</td> <td>±0.13</td> <td>.XX°</td> <td>±1.0°</td> </tr> <tr> <td>.XXX</td> <td>±0.05</td> <td></td> <td></td> </tr> </table>	GENERAL		ANGLES		X	±0.38	X°	±3.0°	.X	±0.25	.X°	±2.0°	.XX	±0.13	.XX°	±1.0°	.XXX	±0.05			 <p>益鑫通精密电子有限公司 YXT Precision Electronics Co.,Ltd.</p>		
GENERAL			ANGLES																						
X	±0.38		X°	±3.0°																					
.X	±0.25		.X°	±2.0°																					
.XX	±0.13	.XX°	±1.0°																						
.XXX	±0.05																								
DESIGN Menger	DATE 05/21/21'	TITLE Pitch 2.2mm Double Row WTB40 Connector Housing (带线卡/白色)																							
CHECKED Will Gao	DATE 05/21/21'	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED																							
APPROVED Thomas Gao	DATE 05/21/21'	 UNIT: mm SIZE A4 P/N WTB40-W124HW1-001	SCALE 1:1	REV. X3	DWG NO. C-WTB40-2W-01-0001																				
CUSTOMER DRAWING		SHEET 3 OF 6																							

RoHS

REV.	ECR	DESCRIPTION	DATE	REVISOR	CHECKED	APPROVED
X1	-	NEW RELEASE	11/11/20'	Menger	Menger	Oliver
X2	-	Plastic material changed from PA66 to PBT	01/06/21'	Menger	Menger	Thomas
X3	-	Add 24/12/08 pin	05/21/21'	Menger	Menger	Thomas



基准尺寸 (mm)	公差数值 (mm)	基准尺寸 (mm)	公差数值 (mm)
>0~3	±0.1	>24~30	±0.25
>3~6	±0.12	>30~40	±0.28
>6~10	±0.14	>40~50	±0.32
>10~14	±0.16	>50~65	±0.37
>14~18	±0.19	>65~80	±0.43
>18~24	±0.22	>80~100	±0.50








技术要求:

1. 产品材质: PBT,本色;
2. 产品表面无缩水, 批锋, 油污, 缺胶, 杂色等不良现象,
3. 产品与配套端子 (T-WTB40-W1110-001) 装配顺畅, 保持力3.0kgf min
4. 产品 (装好端子) 与配套母端子座 (WTB40-B112Hxx-001) 插拔顺畅, 拔出力12.0kgf min(带锁)
5. 产品符合ROHS环保标准。

DRAWN	DATE	GENERAL X. ±0.38 .X ±0.25 .XX ±0.13 .XXX ±0.05	ANGLES X° ±3.0° X' ±2.0° .XX' ±1.0°	YXT 益鑫通精密电子有限公司 YXT Precision Electronics Co.,Ltd.
Menger	05/21/21'			
DESIGN	DATE	TITLE Pitch 2.2mm Double Row WTB40 Connector Housing (带线卡/白色)		
Menger	05/21/21'	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED		
CHECKED	DATE	UNIT: mm		SIZE A4
Will Gao	05/21/21'	SCALE 1:1		P/N WTB40-W112HW1-001
APPROVED	DATE	UNIT: mm		REV. X3
Thomas Gao	05/21/21'	SCALE 1:1		DWG NO. C-WTB40-2W-01-0001
CUSTOMER DRAWING	SHEET 4 OF 6	SCALE 1:1		

RoHS



REV.	ECR	DESCRIPTION	DATE	REVISOR	CHECKED	APPROVED
X1	-	NEW RELEASE	11/11/20'	Menger	Menger	Oliver
X2	-	Plastic material changed from PA66 to PBT	01/06/21'	Menger	Menger	Thomas
X3	-	Add 24/12/08 pin	05/21/21'	Menger	Will	Thomas


基准尺寸 (mm)	公差数值 (mm)	基准尺寸 (mm)	公差数值 (mm)
>0~3	±0.1	>24~30	±0.25
>3~6	±0.12	>30~40	±0.28
>6~10	±0.14	>40~50	±0.32
>10~14	±0.16	>50~65	±0.37
>14~18	±0.19	>65~80	±0.43
>18~24	±0.22	>80~100	±0.50

技术要求:

1. 产品材质: PBT,本色;
2. 产品表面无缩水, 批锋, 油污, 缺胶, 杂色等不良现象,
3. 产品与配套端子 (T-WTB40-W1110-001) 装配顺畅, 保持力3.0kgf min
4. 产品 (装好端子) 与配套母端子座 (WTB40-B108Hxx-001) 插拔顺畅, 拔出力12.0kgf min(带锁)
5. 产品符合ROHS环保标准。

DRAWN Menger	DATE 05/21/21'	<table border="1"> <tr> <th colspan="2">GENERAL</th> <th colspan="2">ANGLES</th> </tr> <tr> <td>X</td> <td>±0.38</td> <td>X'</td> <td>±3.0'</td> </tr> <tr> <td>.X</td> <td>±0.25</td> <td>X''</td> <td>±2.0'</td> </tr> <tr> <td>.XX</td> <td>±0.13</td> <td>.X'X'</td> <td>±1.0'</td> </tr> <tr> <td>.XXX</td> <td>±0.05</td> <td></td> <td></td> </tr> </table>	GENERAL		ANGLES		X	±0.38	X'	±3.0'	.X	±0.25	X''	±2.0'	.XX	±0.13	.X'X'	±1.0'	.XXX	±0.05			 YXT 益鑫通精密电子有限公司 YXT Precision Electronics Co.,Ltd.		
GENERAL			ANGLES																						
X	±0.38		X'	±3.0'																					
.X	±0.25		X''	±2.0'																					
.XX	±0.13	.X'X'	±1.0'																						
.XXX	±0.05																								
DESIGN Menger	DATE 05/21/21'	TITLE Pitch 2.2mm Double Row WTB40 Connector Housing (带线卡/白色)																							
CHECKED Will Gao	DATE 05/21/21'	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED		SIZE A4	P/N WTB40-W108HW1-001																				
APPROVED Thomas Gao	DATE 05/21/21'	 UNIT: mm	SCALE 1:1	REV. X3	DWG NO. C-WTB40-2W-01-0001																				
CUSTOMER DRAWING		SHEET 5 OF 6																							

RoHS



REV.	ECR	DESCRIPTION	DATE	REVISOR	CHECKED	APPROVED
X1	-	NEW RELEASE	11/11/20'	Menger	Menger	Oliver
X2	-	Plastic material changed from PA66 to PBT	01/06/21'	Menger	Menger	Thomas
X3	-	Add 24/12/08 pin	05/21/21'	Menger	Will	Thomas

WTB40-W140HW1-001	40	100	400
WTB40-W132HW1-001	32	150	600
WTB40-W128HW1-001	28	150	600
WTB40-W124HW1-001	24	200	800
WTB40-W116HW1-001	16	250	1000
WTB40-W112HW1-001	12	350	1400
WTB40-W108HW1-001	08	450	1800
MATERIAL NO.	CKT.	QTY./BAG	QTY./BOX

说明:

1. 外箱尺寸340mm*340mm*185mm;
2. 若有未装满之零数箱, 必须以缓冲材料填充;
3. 装满成品纸箱, 最大堆积5箱;
4. 包装数量信息详见附件;
5. 产品符合ROHS环保标准。

DRAWN	DATE	GENERAL X. ±0.38 .X ±0.25 .XX ±0.13 .XXX ±0.05	ANGLES X° ±3.0° .X° ±2.0° .XX° ±1.0°	YXT 益鑫通精密电子有限公司 YXT Precision Electronics Co.,Ltd.
Menger	05/21/21'			
DESIGN	DATE	TITLE Pitch 2.2mm Double Row WTB40 Connector Housing (带线卡/白色)		
Menger	05/21/21'	GENERAL TOLERANCES UNLESS OTHERWISE SPECIFIED		
CHECKED	DATE	UNIT: mm		SIZE A4
Will Gao	05/21/21'	SCALE N/A		P/N WTB40-W108HW1-001
APPROVED	DATE	SHEET 6 OF 6		REV. X3
Thomas Gao	05/21/21'	CUSTOMER DRAWING		DWG NO. C-WTB40-2W-01-0001